केन्द्रीय रेशम जननद्रव्य संसाधन केन्द्र
राष्ट्रीय सक्रिय जननद्रव्य स्थल (एन.बी.पी.जी.आर., नई दिल्ली एवं एन.बी.ए.आई.आर., बैंगलूर द्वारा मान्यता प्राप्त)
आईएसओ 9001 : 2008 द्वारा मान्यता प्राप्त केन्द्र
केन्द्रीय रेशम बोर्ड, वस्त्र मंत्रालय, भारत सरकार
CENTRAL SERICULTURAL GERMPLASM RESOURCES CENTRE
National Active Germplasm Site(Recognised by NBPGR, New Delhi & NBAIR Bengaluru)
An ISO 9001:2008 Certified Centre
Central Silk Board, Ministry of Textiles, Govt. of India

No. CSB/GRC/SE/2014/Stores/ Date: 17.11.2016

To:

Sir,

Sub:- Inviting competitive rate quotations invited for purchase of Mini Tractor at CSGRC, CSB, Hosur under buy back - reg.

This Centre is interested in purchase of 1 no. Mini Tractor as per the detailed specification enclosed under buy back of old Power Tiller (Make Mitsubishi Shakti CT-85 Model 1993). Authorized Dealers/Distributors are requested to quote rate duly indicating the discount to be allowed on quoted value and tax/transportation charges if any. You may also enclose Catalogue, users list and performance report from the users, Warranty and for Par.

Two separate quotations i.e.1) Financial Bid & 2) Technical Bid should be sent to the undersigned in a sealed envelope superscribing "Quotation for supply of "**Mini Tractor**" so as to reach this office on or before 08.12.2016 by 3.00 p.m. The quotations received after the due date and time will be rejected. All bids must be accompanied by EMD (**to be sent along with Financial Bid cover only & DD Number and date should be indicated in Technical Bid).**

Only Technical bids/quotations will be opened by a Committee on 08.12.2016 at 3.30 p.m. and financial bids will be opened after 3 days. Those who do not fulfill required terms & conditions/specification would be treated as technically disqualified and rejected. The financial bid of such technically disqualified parties will be returned to concerned un-opened with their EMD amount which should be noted.

The Terms and Conditions are as under:-

(1) **EMD:** 2% on the quoted rate in the form of Demand Draft favouring "The Director, Central Sericultural Germplasm Resources Centre", payable at Hosur. EMD will be refunded only after finalization of the bids without interest.

(2) **Validity :** Rate quoted should be valid for 90 days.

पी. बी. नं. - 44, थली रोड, होसूर - 635 109, कृष्णगिरि जिला, तमिल नाडु, भारत।
P.B. No. 44, Thally Road, Hosur-635 109, Krishnagiri District, Tamil Nadu, India
दूरभाष / Phone : (91) 04344-221148, 222013, 222043 फैक्स / Fax : (91) 4344-220520
ई मेल / e-mail : csgrchosur@gmail.com, csgrchos.csb@nic.in वेबसाइट / website : www.csgrc.res.in

(3) Delivery & Installation : Within 15 days from the date of receipt of the Purchase order at CSGRC, Hosur.

(4) Payment schedule : By Demand Draft or cheque after verification of satisfactory working of the Tractor in good condition and as per specification.

(5) Taxes/VAT/Other statutory duties should be indicated separately. **Please note that no form "C" or "D" will be issued by this Centre.**

(6) The rate quoted shall be inclusive of delivery/incidental charges at Hosur.

(7) Liquidated damages for delay at 0.5% will be deducted from the bill per week for not undertaking the ordered installation work, within the stipulated time.

(8) Submission of Income tax clearance as issued by Income Tax Department & sales Tax clearance certificate as issued by State / Central Sales tax Department.

(9) Interested parties may visit our centre for inspection of old Power Tiller to offer buy back value.

(10) The Director, CSGRC, Hosur has right to accept or reject quotations either in part or full without assigning any reasons.

Yours faithfully,

17/11/16

DIRECTOR

Encl: Specification

Technical Specification of mini Tractor

	Engine	Diesel, 3 cylinder, 4 stroke, over head valve, bore 73mm, stroke 78mm Displacement: 980 cu.cm, Output//rated rpm – 22HP/3000 rpm (IS:10000), Torque : 5.5 Kg-m/2200 rpm specific fuel consumption 225 gsm/hp-hr
	Fuel system	High speed diesel oil, 18 litres fuel tank and 3 stage oil bath
	Transmission	Selective sliding gear, Forward 6 speeds, reverse 2 speeds, Power Take Off 1-3/8"- SAE Std Spline Shaft, 2 speeds 692, 1020 RPM at 3000 engine, Rated 15-20 HP range. Brake: Water proof internal expanding shoe type brake with parking brake Hydraulics: Double lever auto draft & depth control system Max. Lift: 500kgs (At hitch points) Tyres: Front 5-12, Rear 8-18, Tract width: 890(std), 740 (Adj)
	Cooling System	Water Cooled Radiator with compensatory tank
	Overall Dimension	Width 1085 mm, Height 1250 mm, Length 2540 mm, Wheel base 1420 mm
	Ground Clearence	190 mm
	Turning Radius	W/o Brake 2.5 m & W/Brake 2.1m
	Performance	Tilling width1100 mm,Tilling depth150 mm, Plough depth 220 mm
	Accessories required	1) Cultivator 2) Rotavator 3) Trailer 3 ton tipping model with new type 4) Hitech Bracket 5) Sprayer with Bracket and 500 lt tank 6) Three point Linkage