



केन्द्रीय रेशम जननद्रव्य संसाधन केन्द्र

(आईएसओ 9001:2015 द्वारा मान्यता प्राप्त केन्द्र)

केन्द्रीय रेशम बोर्ड, वस्त्र मंत्रालय, भारत सरकार

पी.बी.न: 44, थली रोड, होसूर - 635 109 कृष्णगिरि जिला, तमिलनाडु

Central Sericultural Germplasm Resources Centre

(an ISO 9001:2015 – Certified Centre)

CENTRAL SILK BOARD, Ministry of Textiles, Govt. of India

P.B. NO.44, THALLY ROAD, HOSUR – 635 109, KRISHNAGIRI DIST., TAMIL NADU.

website : www.csgrc.res.in, e-mail : csgrchos.csb@nic.in, csgrchosur@gmail.com

Phone : 04344-222013, 221148, Fax : 04344-220520



NO.CSB/CSGRC/PIG-06005SI/2020-21/

Date: 21-09-2020

To

CSB/CSGRC Websites

Sir/s,

Sub: Quotation for purchase of 1 No. Dry Bath Incubator– reg.

=====

With reference to the subject cited above, it is to inform that this office is intended to purchase the following equipment which is required for the project work as per the following specifications:-

Sl.No.	Name of the equipment	Qty required
1	Dry Bath Incubator	1 No.
	Specifications:	
	Controller	Digital Microprocessor Controller
	Display	LCD Display
	Heating Power	200W to 300W
	Power Rating	1.0A to 1.6A
	Temperature Control Range	0°C above ambient to 100°C
	Temperature Increment	0.1°C
	Temperature Calibration	Yes
	Temperature Uniformity@37°C	± 0.2°C
	Temperature Accuracy@37°C	± 0.2°C
	Timer	0 ~ 99hrs 59mins
	Safety Device	Leak proof heating chamber
	Operating Temperature	Ambient ~ 40°C
	Heating Chamber Material	Molded Aluminum Alloy Chamber
	Block Material	Aluminum
	Block Type	Standard and customized are available
	Data Log	RS 232 (Max. 2.5 meter long)
	Rated Voltages	110V~ or 220V~; 50/60Hz
	Unit Dimension	Approx. 152 x 150 x 135 mm (W x L x H) or 152 x 230 x 135 mm (W x L x H)
	Working area	Tubes of 0.2mL to 50mL; Fit standard 96 well

You are requested to send the competitive rate quotations as per the following terms and conditions:-

1. Quotation should be sent to the undersigned in a sealed envelope superscribing as **"QUOTATION FOR PURCHASE OF DRY BATH INCUBATOR"** so as to reach this office on or before **12-10-2020 at 02.00 p.m.** The quotations received after the due date and time will be rejected. The quotations will be opened by a committee on the same day at 03.30 p.m.
2. The rate quoted should be valid for minimum 90 days.
3. The details required as per Bank Mandate form for online payment after satisfactory completion of supply of above materials in good condition.
4. Taxes / GST / Other statutory duties should be indicated separately.
5. The quality of the different items mentioned may increase or decrease.
6. The undersigned reserves the right to accept or reject any or all quotations without assigning any reason whatsoever.

Yours faithfully,


DIRECTOR